TM & IH

Tropical Medicine & International Health

Volume 9

Contents

Issue 1, January 2004

1 Editorial: The challenge of dengue vaccine development and introduction *J.L. Deen*

4 Does increased general schooling protect against HIV infection? A study in four African cities *J.R. Glynn, M. Caraël, A. Buvé, S. Anagonou, L. Zekeng, M. Kahindo and R. Musondafor the Study Group on Heterogeneity of HIV Epidemics in African Cities*

15 Pregnancy interval and delivery outcome among HIV-seropositive and HIV-seronegative women in Kisumu, Kenya *A.M. van Eijk, K.M. De Cock, J.G. Ayisi, D.H. Rosen, J.A. Otieno, B.L. Nahlen and R.W. Steketee*

25 Review: Multidrug-resistant tuberculosis: public health challenges *R.J. Coker*

41 Epidemiological and entomological surveillance of the co-circulation of DEN-1, DEN-2 and DEN-4 viruses in French Guiana *F. Fouque, R. Garinci and P. Gaborit*

47 The efficacy of chloroquine, sulfadoxine–pyrimethamine and a combination of both for the treatment of uncomplicated *Plasmodium falciparum* malaria in an area of low transmission in western Uganda *R. Ndyomugyenyi, P. Magnussen and S. Clarke*

53 Addition of artesunate to chloroquine for treatment of *Plasmodium falciparum* malaria in Gambian children causes a significant but short-lived reduction in infectiousness for mosquitoes *C.J. Drakeley, M. Jawara, G.A.T. Targett, G. Walraven, U. Obisike, R. Coleman, M. Pinder and C.J. Sutherland*

62 Adherence to the combination of sulphadoxine–pyrimethamine and artesunate in the Maheba refugee settlement, Zambia *E. Depoortere, J.-P. Guthmann, N. Sipilanyambe, E. Nkandu, F. Fermon, S. Balkan and D. Legros*

68 The changing epidemiology of malaria in Ifakara Town, southern Tanzania *D. Schellenberg, C. Menendez, J. Aponte, C. Guinovart, H. Mshinda, M. Tanner and P. Alonso*

77 Use of antenatal care services and intermittent preventive treatment for malaria among pregnant women in Blantyre District, Malawi *T.H. Holtz, S.P. Kachur, J.M. Roberts, L.H. Marum, C. Mkandala, N. Chizani, A. Macheso and M.E. Parise*

83 Megazol combined with suramin improves a new diagnosis index of the early meningo-encephalitic phase of experimental African trypanosomiasis *A. Darsaud, C. Chevrier, L. Bourdon, M. Dumas, A. Buguet and B. Bouteille*

92 Epilepsy prevalence in rural Zambia: a door-to-door survey *G.L. Birbeck and E.M.N. Kalichi*

96 Soluble transferrin receptor in Aboriginal children with a high prevalence of iron deficiency and infection *B. Ritchie, Y. McNeil and D.R. Brewster*

106 Household drinking water in developing countries: a systematic review of microbiological contamination between source and point-of-use *J. Wright, S. Gundry and R. Conroy*

118 The use of non-prescribed medication in the first 3 months of life in rural South Africa *R.M. Bland, N.C. Rollins, Jan Van den Broeck, H.M. Coovadia and and Child Health Group*

125 The cost and cost-effectiveness of malaria vector control by residual insecticide house-spraying in southern Mozambique: a rural and urban analysis *L. Conteh, B.L. Sharp, E. Streat, A. Barreto and S. Konar*

133 *In situ* measured elimination of *Vibrio cholerae* from brackish water *M.E.M. Pérez, M. Macek and M.T.C. Galván*

141 Retaking sleeping sickness control in Angola *P.M. Abel, G. Kiala, V. Lôa, M. Behrend, J. Musolf, H. Fleischmann, J. Théophile, S. Krishna and A. Stich*

149 Measuring schistosomiasis case management of the health services in Ghana and Mali *M.J. van der Werf, S.J. de Vlas, A. Landouré, K.M. Bosompem and J.D.F. Habbema*

158 Test strip detection of *Wuchereria bancrofti* amplified DNA in wild-caught *Culex pipiens* and estimation of infection rate by a PoolScreen algorithm *H. Helmy, P. Fischer, H.A. Farid, M.H. Bradley and R.M.R. Ramzy*

164 Malaria transmission dynamics at a site in northern Ghana proposed for testing malaria vaccines *M. Appawu, S. Owusu-Agyei, S. Dadzie, V. Asoala, F. Anto, K. Koram, W. Rogers, F. Nkrumah, S.L. Hoffman and D.J. Fryauff*

171 Genetic markers of resistance to pyrimethamine and sulfonamides in *Plasmodium falciparum* parasites compared with the resistance patterns in isolates of *Escherichia coli* from the same children in Guinea-Bissau *P.-E. Kofoed, M. Alfrangis, A. Poulsen, A. Rodrigues, S.B. Gjedde, A. Rønn and L. Rombo*

178 Lay diagnosis of causes of death for monitoring AIDS mortality in Addis Ababa, Ethiopia *T. Araya, G. Reniers, Ab Schaap, D. Kebede, A. Kumie, N. Nagelkerke, R. Coutinho and E. Sanders*

Issue 2, February 2004

187 Editorial: Household water management: refining the dominant paradigm *T.F. Clasen and S. Cairncross*

192 Artemether-lumefantrine for uncomplicated malaria: a systematic review *A.A. Omari, C. Gamble and P. Garner*

200 Efficacy of chloroquine, amodiaquine, sulphadoxine–pyrimethamine and combination therapy with artesunate in Mozambican children with non-complicated malaria *F. Abacassamo, S. Enosse, J.J. Aponte, F.X. Gómez-Olivé, L. Quintó, S. Mabunda, A. Barreto, P. Magnussen, A.M. Rønn, R. Thompson and P.L. Alonso*

209 CV8, a new combination of dihydroartemisinin, piperaquine, trimethoprim and primaquine, compared with atovaquone–proguanil against falciparum malaria in Vietnam *P.T. Giao, P.J. de Vries, L.Q. Hung, T.Q. Binh, N.V. Nam and P.A. Kager*

217 Efficacy of mefloquine and mefloquine–artesunate for the treatment of uncomplicated *Plasmodium falciparum* malaria in the Amazon region of Bolivia *J.C. Avila, R. Villaroel, W. Marquiño, J. Zegarra, R. Mollinedo and T.K. Ruebush*

222 Efficacy of sulphadoxine–pyrimethamine alone or combined with amodiaquine or chloroquine for the treatment of uncomplicated falciparum malaria in Ugandan children *A.O. Talisuna, A. Nalunkuma-Kazibwe, N. Bakyaita, P. Langi, T.K. Mutabingwa, W.W. Watkins, E. Van Marck, U. D'Alessandro and T.G. Egwang*

230 Malaria transmission and major malaria vectors in different geographical areas of Southeast Asia *H.D. Trung, W. Van Bortel, T. Sochantha, K. Keokenchanh, N.T. Quang, L.D. Cong and M. Coosemans*

238 Post-injury malaria: a risk factor for wound infection and protracted recovery *M. Sundet, T. Heger and H. Husum*

243 Research for control: the onchocerciasis experience *J.H.F. Remme*

255 Use of intermittent presumptive treatment and insecticide treated bed nets by pregnant women in four Kenyan districts *H.L. Guyatt, A.M. Noor, S.A. Ochola and R.W. Snow*

262 Anaemia in pregnancy and infant mortality in Tanzania *T. Marchant, J.A. Schellenberg, R. Nathan, S. Abdulla, O. Mukasa, H. Mshinda and C. Lengeler*

267 Does reducing malaria improve household living standards? *R. Laxminarayan*

273 Out-of-pocket health expenditure and debt in poor households: evidence from Cambodia *W. Van Damme, L. Van Leemput, I. Por, W. Hardeman and B. Meessen*

281 Strengthening health services to control epidemics: empirical evidence from Guinea on its cost-effectiveness *W. Van Damme and W. Van Lerberghe*

292 Viewpoint: The Brazilian HIV/AIDS 'success story' – can others do it? *V. Oliveira-Cruz, J. Kowalski and B. McPake*

298 Climate variability and Ross River virus transmission in Townsville Region, Australia, 1985–1996 *S. Tong, W. Hu and A.J. McMichael*

305 Seroepidemiology of dengue in the adult population of Singapore *A. Wilder-Smith, W. Foo, A. Earnest, S. Sremulanathan and N.I. Paton*

309 Tuberculous meningitis and miliary tuberculosis in young children *F. van den Bos, M. Terken, L. Ypma, J.L.L. Kimpen, E.D. Nel, H.S. Schaaf, J.F. Schoeman and P.R. Donald*

314 Corrigenda

Issue 3, March 2004

315 Editorial: The cost of an HIV/AIDS epidemic *T. Barnett*

318 The impact of HIV/AIDS on labour productivity in Kenya *M.P. Fox, S. Rosen, W.B. MacLeod, M. Wasunna, M. Bii, G. Foglia and J.L. Simon*

325 Short Communication: An assessment of the use of malaria rapid tests by village health volunteers in rural Laos *M. Mayxay, P.N. Newton, S. Yeung, T. Pongvongsa, S. Phompida, R. Phetsouvanh and N.J. White*

330 Evaluation of the sensitivity of *Aedes aegypti* and *Anopheles gambiae* complex mosquitoes to two insect repellents: DEET and KBR 3023 *A. Badolo, E. Ilboudo-Sanogo, A.P. Ouédraogo and C. Costantini*

335 DEET mosquito repellent provides personal protection against malaria: a household randomized trial in an Afghan refugee camp in Pakistan *M. Rowland, G. Downey, A. Rab, T. Freeman, N. Mohammad, H. Rehman, N. Durrani, H. Reyburn, C. Curtis, J. Lines and M. Fayaz*

343 DEET mosquito repellent sold through social marketing provides personal protection against malaria in an area of all-night mosquito biting and partial coverage of insecticide-treated nets: a case–control study of effectiveness *M. Rowland, T. Freeman, G. Downey, A. Hadi and M. Saeed*

351 Effectiveness of intermittent preventive treatment with sulphadoxine-pyrimethamine for control of malaria in pregnancy in western Kenya: a hospital-based study *A.M. van Eijk, J.G. Ayisi, F.O. ter Kuile, J.A. Otieno, A.O. Misore, J.O. Odondi, D.H. Rosen, P.A. Kager, R.W. Steketee and B.L. Nahlen*

361 Short Communication: Prevalence of mutations associated with resistance to atovaquone and to the antifolate effect of proguanil in *Plasmodium falciparum* isolates from northern Ghana *M. Muehlen, J. Schreiber, S. Ehrhardt, R. Otchwemah, T. Jelinek, U. Bienzle and F.P. Mockenhaupt*

364 Changing scenario of malaria in central India, the replacement of *Plasmodium vivax* by *Plasmodium falciparum* (1986–2000) *N. Singh, A.C. Nagpal, A. Saxena and M.P. Singh*

372 Epidemiology and geography of *Schistosoma mansoni* in Uganda: implications for planning control *N.B. Kabatereine, S. Brooker, E.M. Tukahebwa, F. Kazibwe and A.W. Onapa*

381 Exposure to *Schistosoma mansoni* infection in a rural area in Brazil. Part III: household aggregation of water-contact behaviour *J. Bethony, J.T. Williams, S. Brooker, A. Gazzinelli, M.F. Gazzinelli, P.T. LoVerde, R. Corrêa-Oliveira and H. Kloos*

390 Waiting too long: low use of maternal health services in Kalabo, Zambia *J. Stekelenburg, S. Kyanamina, M. Mukelabai, I. Wolffers and J. van Roosmalen*

399 Acceptance of contraceptives among women who had an unsafe abortion in Dar es Salaam *V. Rasch, S. Massawe, F. Yambesi and S. Bergstrom*

406 Responsiveness to life-threatening obstetric emergencies in two hospitals in Abidjan, Côte d'Ivoire *V. Gohou, C. Ronsmans, L. Kacou, K. Yao, K.M. Bohoussou, B. Houphouet, P. Bosso, A.J. Diarra-Nama, A. Bacci and V. Filippi*

416 Water sources are associated with childhood diarrhoea prevalence in rural east-central Mali *D.K. Plate, B.I. Strassmann and M.L. Wilson*

426 Indirect costs associated with accessing eye care services as a barrier to service use in Ethiopia *M. Melese, W. Alemayehu, E. Friedlander and P. Courtright*

Issue 4, April 2004

433 Editorial: Genetic control of vector populations: an imminent prospect *P.G. Coleman and L. Alphey*

438 A randomized trial of amodiaquine and artesunate alone and in combination for the treatment of uncomplicated falciparum malaria in children from Burkina Faso *H. Barennes, N. Nagot, I. Valea, T. Koussoubé-Balima, A. Ouedraogo, T. Sanou and S. Yé*

445 Antimalarial efficacy of sulfadoxine–pyrimethamine, amodiaquine and a combination of chloroquine plus sulfadoxine–pyrimethamine in Bundi Bugyo, western Uganda *F. Checchi, P. Piola, C. Kosack, E. Ardizzoni, D. Klarkowski, E. Kwezi, G. Priotto, S. Balkan, N. Bakyaita, A. Brockman and J.-P. Guthmann*

451 Improving malaria home treatment by training drug retailers in rural Kenya *V.M. Marsh, W.M. Mutemi, A. Willetts, K. Bayah, S. Were, A. Ross and K. Marsh*

461 Detailed clinical and ultrasound examination of children and adolescents in a *Schistosoma mansoni* endemic area in Kenya: hepatosplenic disease in the absence of portal fibrosis *B.J. Vennervald, L. Kenty, A.E. Butterworth, C.H. Kariuki, H. Kadzo, E. Ireri, C. Amaganga, G. Kimani, J. Mwatha, A. Otedo, M. Booth, J.H. Ouma and D.W. Dunne*

471 Hookworm (*Necator americanus*) transmission in inland areas of sandy soils in KwaZulu-Natal, South Africa *M.L.H. Mabaso, C.C. Appleton, J.C. Hughes and E. Gouws*

477 Infant feeding practices in western Tanzania and Uganda: implications for infant feeding recommendations for HIV-infected mothers *G. Poggensee, K. Schulze, I. Moneta, P. Mbezi, C. Baryomunsi and G. Harms*

486 Maternal anaemia and its impact on perinatal outcome *F.W. Lone, R.N. Qureshi and F. Emanuel*

491 Importance of nosocomial respiratory syncytial virus infections in an African setting *S.A. Madhi, K. Ismail, C. O'Reilly and C. Cutland*

499 Dengue vector prevalence and virus infection in a rural area in south India *S.C. Tewari, V. Thenmozhi, C.R. Katholi, R. Manavalan, A. Munirathinam and A. Gajanana*

508 Spatial and temporal analysis of the distribution of hantavirus pulmonary syndrome in Buenos Aires Province, and its relation to rodent distribution, agricultural and demographic variables *M. Busch, R. Cavia, A.E. Carbajo, C. Bellomo, S. Gonzalez Capria and P. Padula*

520 Urinary tract infections and genitourinary abnormalities in Cameroonian men *M.F. Yuyun, F.F. Angwafo III, S. Koulla-Shiro and J. Zoung-Kanyi*

526 Assessing obesity and overweight in a high mountain Pakistani population *S.M. Shah, D. Nanan, M.H. Rahbar, M. Rahim and G. Nowshad*

533 Epidemiological study of kala-azar by direct agglutination test in two rural communities of eastern Nepal *S. Koirala, P. Karki, M.L. Das, S.C. Parija and B.M.S. Karki*

A1 Eliminating onchocerciasis as a public health problem *B. Thylefors*

A4 Mectizan Donation Program: evaluation of a public–private partnership *D.H. Peters and T. Phillips*

A16 Economic evaluation of Mectizan distribution *H.R. Waters, J.A. Rehwinkel and G. Burnham*

A26 Review: The delivery of ivermectin (Mectizan®) *G. Burnham and T. Mebrahtu*

A45 Impact of ivermectin on illness and disability associated with onchocerciasis *J.M. Tielsch and A. Beeche*

Issue 5, May 2004

539 Editorial: Treating depression in the developing world *V. Patel, R. Araya and P. Bolton*

542 The effectiveness of active population screening and treatment for sleeping sickness control in the Democratic Republic of Congo *J. Robays, M.M.C. Bilengue, P. Van der Stuyft and M. Boelaert*

551 Split-drug regimens for the treatment of patients with sputum smear-positive pulmonary tuberculosis – a unique approach Tuberculosis Research Centre (Indian Council of Medical Research), Chennai, India

559 Direct observation of treatment for tuberculosis: a randomized controlled trial of community health workers versus family members *J. Wright, J. Walley, A. Philip, S. Pushpananthan, E. Dlamini, J. Newell and S. Dlamini*

566 A randomized trial on acceptability of voluntary HIV counselling and testing *K. Fylkesnes and S. Siziya*

573 Evaluation of an algorithm for integrated management of childhood illness in an area of Vietnam with dengue transmission *C.X.T. Phuong, N.T. Nhan, R. Kneen, D. Bethell, L.T. Dep, N.T.T. Nga, P.T.T. Thuy, T.D. Luat, T. Solomon, B. Wills, C.M. Parry and The Dong Nai/WHO Study Team*

582 Genetic heterogeneity of the dengue vector *Aedes aegypti* in Martinique *A. Yébakima, C. Charles, L. Mousson, M. Vazeille, M.-M. Yp-Tcha and A.-B. Failloux*

588 Prevalence of *Opisthorchis viverrini* infection and incidence of cholangiocarcinoma in Khon Kaen, Northeast Thailand *S. Sriamporn, P. Pisani, V. Pipitgool, K. Suwanrungruang, S. Kamsa-ard and D.M. Parkin*

595 High prevalence of ectopic kidney in Coast Province, Kenya *P. Magak, C.H. King, E. Ireri, H. Kadzo, J.H. Ouma and E.M. Muchiri*

601 Evidence for increased metabolism of chloroquine during the early third trimester of human pregnancy *M.C. Chukwuani, O.O. Bolaji, C.O. Onyeji, O.N. Makinde and F.A. Ogunbona*

606 Open randomized study of pyrimethamine–sulphadoxine *vs.* pyrimethamine–sulphadoxine plus probenecid for the treatment of uncomplicated *Plasmodium falciparum* malaria in children *A. Sowunmi, F.A. Fehintola, A.A. Adedeji, G.O. Gbotosho, C.O. Falade, E. Tambo, B.A. Fateye, T.C. Happi and A.M.J. Oduola*

615 Rapid epidemiologic assessment of glucose-6-phosphate dehydrogenase deficiency in malaria-endemic areas in Southeast Asia using a novel diagnostic kit *A. Jalloh, I.S. Tantular, S. Pusarawati, A.P. Kawilarang, H. Kerong, K. Lin, M.U. Ferreira, H. Matsuoka, M. Arai, K. Kita and F. Kawamoto*

624 Relationship between age, molecular markers, and response to sulphadoxine–pyrimethamine treatment in Kampala, Uganda *S.G. Staedke, H. Sendagire, S. Lamola, M.R. Kamya, G. Dorsey and P.J. Rosenthal*

630 Implementation of intermittent preventive treatment with sulphadoxine–pyrimethamine for control of malaria in pregnancy in Kisumu, western Kenya *A.M. van Eijk, J.G. Ayisi, F.O. ter Kuile, L. Slutsker, J.A. Otieno, A.O. Misore, J.O. Odondi, D.H. Rosen, P.A. Kager, R.W. Steketee and B.L. Nahlen*

638 Quality of sexually transmitted infections services for female sex workers in Abidjan, Côte d'Ivoire

B. Vuylsteke, M. Traore, G. Mah-Bi, Y. Konan, P. Ghys, J. Diarra and M. Laga

644 Maternal perceptions of acute respiratory infections in children under 5 in rural South Africa *S. Kauchali, N. Rollins, R. Bland and J. Van den Broeck on behalf of the Child Health Group*

651 Short communication: Misleading microscopy in amoebiasis *A. Kebede, J.J. Verweij, B. Petros and A.M. Polderman*

Issue 6, June 2004

653 Editorial: Skilled attendance at childbirth: let us go beyond the rhetorics *H. Buttiëns, B. Marchal and V. De Brouwere*

655 Retail supply of malaria-related drugs in rural Tanzania: risks and opportunities *C. Goodman, S. Patrick Kachur, S. Abdulla, E. Mwageni, J. Nyoni, J.A. Schellenberg, A. Mills and P. Bloland*

664 Measuring the efficacy of insecticide treated bednets: the use of DNA fingerprinting to increase the accuracy of personal protection estimates in Tanzania *S. Soremekun, C. Maxwell, M. Zuwakuu, C. Chen, E. Michael and C. Curtis*

673 Efficacité de combinaisons thérapeutiques avec des dérivés de l'artémisinine dans le traitement de l'accès palustre non-complique au Burundi *A. Ndayiragije, D. Niyungeko, J. Karenzo, E. Niyungeko, M. Barutwanayo, A. Ciza, A. Bosman, R. Moyou-Somo, A. Nahimana, J.P. Nyarushatsi, T. Baributa, L. Mizero, J. Ndaruhutse, C. Delacollette, P. Ringwald and J. Kamana*

680 Drug resistance in Plasmodium falciparum from the Chittagong Hill Tracts, Bangladesh *I.V.F. van den Broek, S. van der Wardt, L. Talukder, S. Chakma, A. Brockman, S. Nair and T.C. Anderson*

688 The prevalence, intensities and risk factors associated with geohelminth infection in tea-growing communities of Assam, India *R.J. Traub, I.D. Robertson, P. Irwin, N. Mencke and R.C. Andrew Thompson*

702 Coverage, compliance and some operational issues of mass drug administration during the programme to eliminate lymphatic filariasis in Orissa, India *B.V. Babu and S.K. Kar*

710 Control of human African trypanosomiasis: trap and odour preference of tsetse flies (Glossina morsitans submorsitans) in the upper Didessa river valley of Ethiopia *H. Belete, G. Tikubet, B. Petros, W.A. Oyibo and I.N. Otigbuo*

715 Out of hospital treatment of patients with melioidosis using ceftazidime in 24 h elastomeric infusors, via peripherally inserted central catheters *S. Huffam, S.P. Jacups, P. Kittler and B.J. Currie*

718 Features distinguishing amoebic from pyogenic liver abscess: a review of 577 adult cases *S. Lodhi, A.R. Sarwari, M. Muzammil, A. Salam and R.A. Smego*

724 Evaluation of a urinary antigen-based latex agglutination test in the diagnosis of kala-azar in eastern Nepal *S. Rijal, M. Boelaert, S. Regmi, B.M.S. Karki, D. Jacquet, R. Singh, M.L. Chance, F. Chappuis, M. Hommel, P. Desjeux, P. Van der Stuyft, D. Le Ray and S. Koirala*

730 Outbreak of West Nile virus causing severe neurological involvement in children, Nuba Mountains, Sudan, 2002 *E. Depoortere, J. Kavle, K. Keus, H. Zeller, S. Murri and D. Legros*

737 Asking semi-literate adolescents about sexual behaviour: the validity of assisted self-completion questionnaire (ASCQ) data in rural Tanzania *M.L. Plummer, D. Wight, D.A. Ross, R. Balira, A. Anemona, J. Todd, Z. Salamba, A.I.N. Obasi, H. Grosskurth, J. Changalunga and R.J. Hayes*

A1 Editorial: A framework for analysing the relationship between disease control programmes and basic health care *B. Criel, G. Kegels and P. Van der Stuyft*

A5 Integration and disease control: notes from the Prince Leopold Institute of Tropical Medicine Colloquium 2002 *Y. Mahendradhata and F. Moerman*

A11 Integrating tuberculosis and HIV care in the primary care setting in South Africa *D. Coetzee, K. Hilderbrand, E. Goemaere, F. Matthys and M. Boelaert*

A16 Quantitative evaluation of integrated schistosomiasis control: the example of passive case finding in Ghana *S.J. de Vlas, A. Danso-Appiah, M.J. van der Werf, K.M. Bosompem and J.D.F. Habbema*

A22 Disease control in primary health care: a historical perspective *H. Van Balen*

A27 Epilogue *G. Kegels*

Issue 7, July 2004

755 Editorial: 100 years ago: Giemsa's solution for staining of plasmodia *B. Fleischer*

757 Spatial clustering of malaria and associated risk factors during an epidemic in a highland area of western Kenya *S. Brooker, S. Clarke, J.K. Njagi, S. Polack, B. Mugo, B. Estambale, E. Muchiri, P. Magnussen and J. Cox*

767 Time course of coagulation parameters, cytokines and adhesion molecules in *Plasmodium falciparum* malaria

A. Vogetseder, C. Ospelt, M. Reindl, M. Schober and E. Schmutzhard

774 Implementing a rural programme of prevention of mother-to-child transmission of HIV in Zimbabwe: first 18 months of experience *F. Perez, T. Mukotekwa, A. Miller, J. Orne-Gliemann, M. Glenshaw, I. Chitsike and F. Dabis*

784 Determinants of health-seeking behaviour for schistosomiasis-related symptoms in the context of integrating schistosomiasis control within the regular health services in Ghana *A. Danso-Appiah, S.J. De Vlas, K.M. Bosompem and J.D.F. Habbema*

795 Epidemiology of community-acquired and nosocomial bloodstream infections in tropical Australia: a 12-month prospective study *M.W. Douglas, G. Lum, J. Roy, D.A. Fisher, N.M. Anstey and B.J. Currie*

805 Two new cytoforms of the *Simulium damnosum* complex (Diptera: Simuliidae) from Malawi and Tanzania and potential onchocerciasis vectors *A. Krüger, A.K. Kalinga, R.J. Post and B.T.A. Maegga*

812 The recent emergence of *Leishmania tropica* in Jericho (A'riha) and its environs, a classical focus of *L. major* *A. Al-Jawabreh, L.F. Schnur, A. Nasereddin, J.M. Schwenkenbecher, Z. Abdeen, F. Barghuthy, H. Khanfar, W. Presber and G. Schönian*

817 Editorial: Tuberculosis research: an end to neglect and negligence *M. Pletschette*

818 New vaccines against tuberculosis *T. Mark Doherty*

827 Prospects for new tuberculosis treatment in Africa *A. Mwinga and P. Bernard Fourie*

833 Tuberculosis control in resource-poor countries: have we reached the limits of the universal paradigm? *C. Lienhardt and J.A. Ogden*

Issue 8, August 2004

843 Editorial: Lymphatic filariasis endemicity – an indicator of poverty? *D.N. Durrheim, S. Wynd, B. Liese and J.O. Gyapong*

846 Historical review of malarial control in southern African with emphasis on the use of indoor residual house-spraying *M.L.H. Mabaso, B. Sharp and C. Lengeler*

857 The PfCRT (K76T) point mutation favours clone multiplicity and disease severity in *Plasmodium falciparum* infection *M.R. Ranjit, A. Das, G.P. Chhotray, B.P. Das, B.N. Das and A.S. Acharya*

862 Asymptomatic parasitaemia as a risk factor for symptomatic malaria in a cohort of Ugandan children *D. Njama-Meya, M.R. Kamya and G. Dorsey*

869 Human African trypanosomiasis amongst urban residents in Kinshasa: a case-control study *J. Robays, A. Ebeja Kadima, P. Lutumba, C. Miaka mia Bilenge, V. Kande Betu Ku Mesu, R. De Deken, J. Makabuza, M. Deguerry, P. Van der Stuyft and M. Boelaert*

876 *Toxoplasma gondii* spreading in an urban area evaluated by seroprevalence in free-living cats and dogs *L.R. Meireles, A.J. Galisteo, E. Pompeu and H.F. Andrade*

882 The impact of ivermectin treatment alone and when in parallel with *Simulium neavei* elimination on onchocerciasis in Uganda *R. Ndyomugyenyi, E. Tukesiga, D.W. Büttner and R. Garms*

887 Additional health and development activities for community-directed distributors of ivermectin: threat or opportunity for onchocerciasis control? *J.C. Okeibunor, M.K. Ogungbemi, M. Sama, S.C. Gbeleou, U. Oyene and J.H.F. Remme*

897 Migrants' risky sexual behaviours in India and at home in far western Nepal *K.C. Poudel, M. Jimba, J. Okumura, A.B. Joshi and S. Wakai*

904 Weekly iron supplements given by teachers sustain the haemoglobin concentration of schoolchildren in the Philippines *N. Roschnik, A. Parawan, M.A.B. Baylon, T. Chua and A. Hall*

910 Viewpoint: Why and how tuberculosis control should be included in health sector reviews *B. Schreuder, J. Visschedijk, P. Gondrie and M. Van Cleeff*

917 Infant schistosomiasis in Ghana: a survey in an irrigation community *K.M. Bosompem, I.A. Bentum, J. Otchere, W.K. Anyan, C.A. Brown, Y. Osada, T. Takeo, S. Kojima and N. Ohta*

923 Investigational use of ribavirin in the treatment of severe acute respiratory syndrome, Singapore, 2003 *H.-N. Leong, B. Ang, A. Earnest, C. Teoh, W. Xu and Y.-S. Leo*

928 A prospective study of bloodstream infections as cause of fever in Malawi: clinical predictors and implications for management *R.P.H. Peters, E.E. Zijlstra, M.J. Schijffelen, A.L. Walsh, G. Joaki, J.J. Kumwenda, J.G. Kublin, M.E. Molyneux and D.K. Lewis*

Issue 9, September 2004

935 Editorial: The north-south divide in health research publishing: what can smaller journals do? *S. Groener*

937 Stage-specific effects of host plasma factors on the early sporogony of autologous *Plasmodium falciparum* isolates within *Anopheles gambiae* *L.C. Gouagna,*

S. Bonnet, R. Gounoue, J.P. Verhave, W. Eling, R. Sauerwein and C. Boudin

949 Submicroscopic *Plasmodium falciparum* infections and multiplicity of infection in matched peripheral, placental and umbilical cord blood samples from Gabonese women *P.I. Mayengue, H. Rieth, A. Khattab, S. Issifou, P.G. Kremsner, M.-Q. Klinkert and F. Ntoumi*

959 Artemisinin-based combination therapy reduces expenditure on malaria treatment in KwaZulu Natal, South Africa *C. Muheki, D. McIntyre and K. I. Barnes*

967 The difference between effectiveness and efficacy of antimalarial drugs in Kenya *A.A. Amin, D.A. Hughes, V. Marsh, T.O. Abuya, G.O. Kokwaro, P.A. Winstanley, S.A. Ochola and R.W. Snow*

975 Efficacy of chloroquine, sulphadoxine–pyrimethamine and amodiaquine for treatment of uncomplicated *Plasmodium falciparum* malaria in Kajo Keji county, Sudan *E. Stivanello, P. Cavailler, F. Cassano, S.A. Omar, D. Kariuki, J. Mwangi, P. Piola and J.-P. Guthmann*

981 Anti-leishmanial activity of a new formulation of amphotericin B *M.A. Dea-Ayuela, S. Rama-Íñiguez, J.A. Sánchez-Brunete, J.J. Torrado, J.M. Alunda and F. Bolás-Fernández*

991 Applicability of a monoclonal antibody-based dipstick in diagnosis of urinary schistosomiasis in the Central Region of Ghana *K.M. Bosompem, O. Owusu, E.O. Okanla and S. Kojima*

997 Environmental control of schistosomiasis through community participation in a Moroccan oasis *E. Boelee and H. Laamrani*

1005 Childhood malignancies in French Polynesia during the 1985–1995 period *C.C.-de. Vathaire, F. de Vathaire, B.L. Vu, L. Gleize, L.Y.K. Sun, P. Gestas, J. Paaofaite, J. Pasche, S. Champenois, F. Lhoumau and F. Laudon*

1012 Soil-transmitted helminthiasis in Myanmar and approximate costs for countrywide control *A. Montresor, T.T. Zin, E. Padmasiri, H. Allen and L. Savioli*

1016 An outbreak of leptospirosis in Orissa, India: the importance of surveillance *A.B. Jena, K.C. Mohanty and N. Devadasan*

1022 Risk factors and clinical features associated with severe dengue infection in adults and children during the 2001 epidemic in Chonburi, Thailand *O. Wichmann, S. Hongsiriwon, C. Bowonwatanuwong, K. Chotivanich, Y. Sukthana and S. Pukrittayakamee*

1030 Effectiveness of two annual, single-dose mass drug administrations of diethylcarbamazine alone or in combination with albendazole on soil-transmitted helminthiasis in filariasis elimination programme *T.R. Mani, R. Rajendran, I.P. Sunish, A. Munirathinam, N. Arunachalam, K. Satyanarayana and A.P. Dash*

1036 *Helicobacter pylori* antigens in the faeces of asymptomatic children in the Buea and Limbe health districts of Cameroon: a pilot study *R.N. Ndip, A.E. Malange, J.F.T. Akoachere, W.G. MacKay, V.P.K. Titanji and L.T. Weaver*

Issue 10, October 2004

1041 Editorial: Community health insurance (CHI) in sub-Saharan Africa: researching the context *B. Criel, C. Atim, R. Basaza, P. Blaise and M.P. Waelkens*

1044 EPI vaccines-induced antibody prevalence in 8–9 year-olds in The Gambia *S. Viviani, M. Mendy, A.D. Jack, A.J. Hall, R. Montesano and H.C. Whittle*

1050 Impact of malaria control on childhood anaemia in Africa – a quantitative review *E.L. Korenromp, J.R.M. Armstrong-Schellenberg, B.G. Williams, B.L. Nahlen and R.W. Snow*

1066 Impact of a double dose of sulphadoxine–pyrimethamine to reduce prevalence of pregnancy malaria in southern Mozambique *K. Challis, N.B. Osman, M. Cotiro, G. Nordahl, M. Dgedge and S. Bergström*

1074 *iNOS* promoter variants and severe malaria in Ghanaian children *J.P. Cramer, F.P. Mockenhaupt, S. Ehrhardt, J. Burkhardt, R.N. Otchwemah, E. Dietz, S. Gellert and U. Bienzle*

1081 Malaria epidemiology in a rural area of the Mekong Delta: a prospective community-based study *A. Erhart, N.D. Thang, T.H. Bien, N.M. Tung, N.Q. Hung, L.X. Hung, T.Q. Tuy, N. Speybroeck, L.D. Cong, M. Coosemans and U. D'Alessandro*

1091 Is amodiaquine failing in Rwanda? Efficacy of amodiaquine alone and combined with artesunate in children with uncomplicated malaria *C.E. Rwagacondo, C. Karema, V. Mugisha, A. Erhart, J.-C. Dujardin, C.V. Overmeir, P. Ringwald and U. D'Alessandro*

1099 Circulating concentrations of cardiac proteins in complicated and uncomplicated *Plasmodium falciparum* malaria *S. Ehrhardt, D. Wichmann, C.J. Hemmer, G.D. Burchard and N.W. Brattig*

1104 Antibodies directed against nitrosylated neoepitopes in sera of patients with human African trypanosomiasis *S. Semballa, M. Geffard, S. Daulouede, D. Malvy, B. Veyret, J.-L. Lemesre, P. Holzmuller, S. Mnaimneh and P. Vincendeau*

1111 Reliable and frequent detection of adult *Wuchereria bancrofti* in Ghanaian women by ultrasonography *S. Mand, A. Debrah, L. Batsa, O. Adjei and A. Hoerauf*

1115 Assessment of disease and infection of lymphatic filariasis in Northeastern Cambodia *R. Leang, D. Socheat, B. Bin, T. Bunkea and P. Odermatt*

1121 Mosquito nets and the poor: can social marketing redress inequities in access? *R. Nathan, H. Masanja, H. Mshinda, J.A. Schellenberg, D. de Savigny, C. Lengeler, M. Tanner and C.G. Victora*

1127 Evaluation of the direct agglutination test based on freeze-dried *Leishmania donovani* promastigotes for the serodiagnosis of visceral leishmaniasis in Sudanese patients *K.A.A. Abdallah, B.Y.M. Nour, H.D.F.H. Schallig, A. Mergani, Z. Hamid, A.A. Elkarim, O.K. Saeed and A.A. Mohamadani*

1132 Diarrhoea, vomiting and the role of milk consumption: perceived and identified risk in Bamako (Mali) *M. Hetzel, B. Bonfoh, Z. Farah, M. Traoré, C.F. Simbé, I.O. Alfaroukh, E. Schelling, M. Tanner and J. Zinsstag*

Issue 11, November 2004

1139 Editorial: The Research Imperative: Fighting AIDS, TB and Malaria *R.G.A. Feachem*

1142 Citation patterns in tropical medicine journals *D. Schoonbaert*

1151 Fifty-year mortality trends in three rural African villages *P. Rayco-Solon, S.E. Moore, A.J. Fulford and A.M. Prentice*

1161 Nationwide HIV prevalence survey in general population in Niger *P. Boisier, O.N. Ouwe Missi Oukem-Boyer, A. Amadou Hamidou, F. Sidikou, M.L. Ibrahim, A. Elhaj Mahamane, S. Mamadou, T. Sanda Aksenenkova, B. Hama Modibo, S. Chanteau, A. Sani and J. -P Louboutin-Croc*

1167 Melioidosis epidemiology and risk factors from a prospective whole-population study in northern Australia *B.J. Currie, S.P. Jacups, A.C. Cheng, D.A. Fisher, N.M. Anstey, S.E. Huffam and V.L. Krause*

1175 Therapeutic efficacy of artemether-lumefantrine and artesunate-mefloquine for treatment of uncomplicated *Plasmodium falciparum* malaria in Luang Namtha Province, Lao People's Democratic Republic *J.M. Stohrer, S. Dittrich, V. Thongpaseuth, V. Vanisaveth, R. Phetsouvanh, S. Phompida, F. Monti, E.-M. Christophel, N. Lindegardh, A. Annerberg and T. Jelinek*

1184 Comparison of chloroquine, sulfadoxine/pyrimethamine, mefloquine and mefloquine-artesunate for the treatment of falciparum malaria in Kachin State, North Myanmar *F. Smithuis, M. Shahmanesh, M.K. Kyaw, O. Savran, S. Lwin and N.J. White*

1191 Local fever illness classifications: implications for home management of malaria strategies *J. Nsungwa-Sabiiti, K. Källander, X. Nsabagasani, K. Namusisi, G. Pariyo, A. Johansson, G. Tomson and S. Peterson*

1200 Short Communication: Observations on false positive reactions in the rapid NOW®; Filariasis card test *P.E. Simonsen and S.M. Magesa*

1203 A 22-mer primer enhances discriminatory power of AP-PCR fingerprinting technique in characterization of leptospires *S. Roy, D. Biswas, P. Vijayachari, A.P. Sugunan and S.C. Sehgal*

1210 Is there an association between bacteriological drinking water quality and childhood diarrhoea in developing countries? *P.K. Jensen, G. Jayasinghe, W. van der Hoek, S. Cairncross and A. Dalsgaard*

1216 Treatment of maternal syphilis in rural South Africa: effect of multiple doses of benzathine penicillin on pregnancy loss *L. Myer, S.S. Abdool Karim, C. Lombard and D. Wilkinson*

1222 Le profil des membres et des non membres des mutuelles de santé au Rwanda: le cas du district sanitaire de Kabutare *L. Musango, B. Dujardin, M. Dramaix and B. Criel*

1228 Cultural concepts of tuberculosis and gender among the general population without tuberculosis in rural Maharashtra, India *S.R. Atre, A.M. Kudale, S.N. Morankar, S.G. Rangan and M.G. Weiss*

Issue 12, December 2004

1239 Editorial: Gin tonic revisited *C.G. Meyer, F. Marks and J. May*

1241 Fake antimalarials in Southeast Asia are a major impediment to malaria control: multinational cross-sectional survey on the prevalence of fake antimalarials *A.M. Dondorp, P.N. Newton, M. Mayxay, W. Van Damme, F.M. Smithuis, S. Yeung, A. Petit, A.J. Lynam, A. Johnson, T.T. Hien, R. McGready, J.J. Farrar, S. Looareesuwan, N.P.J. Day, M.D. Green and N.J. White*

1247 Exploring 30 years of malaria case data in KwaZulu-Natal, South Africa: Part I. The impact of climatic factors *M.H. Craig, I. Kleinschmidt, J.B. Nawn, D. Le Sueur and B.L. Sharp*

1258 Exploring 30 years of malaria case data in KwaZulu-Natal, South Africa: Part II. The impact of

non-climatic factors *M.H. Craig, I. Kleinschmidt, D. Le Sueur and B.L. Sharp*

1267 The spread of the Leu-Phe *kdr* mutation through *Anopheles gambiae* complex in Burkina Faso: genetic introgression and *de novo* phenomena *A. Diabate, C. Brengues, T. Baldet, K.R. Dabiré, J.M. Hougard, M. Akogbeto, P. Kengne, F. Simard, P. Guillet, J. Hemingway and F. Chandre*

1274 The practical importance of permanent and semipermanent habitats for controlling aquatic stages of *Anopheles gambiae sensu lato* mosquitoes: operational observations from a rural town in western Kenya *U. Fillinger, G. Sonye, G.F. Killeen, B.G.J. Knols and N. Becker*

1290 Clinical microbicide research: an overview *L.V. Damme*

1297 *Mycobacterium ulcerans* disease: role of age and gender in incidence and morbidity *M. Debacker, J. Aguiar, C. Steunou, C. Zinsou, W.M. Meyers, J.T. Scott, M. Dramaix and F. Portaels*

1305 Infection rates with *Leishmania donovani* and *Mycobacterium tuberculosis* in a village in eastern Sudan *S.H. el-Safi, N. Hamid, A. Omer, A. Abdel-Haleem, A. Hammad, H.G. Kareem and M. Boelaert*

1312 Seroepidemiology of *Toxocara canis* infection among mountain aboriginal schoolchildren living in contaminated districts in eastern Taiwan *C.-K. Fan, C.-C. Hung, W.-Y. Du, C.-W. Liao and K.-E. Su*

1319 Predominance of lineage I among *Trypanosoma cruzi* isolates from Venezuelan patients with different clinical profiles of acute Chagas' disease *N. Añez, G. Crisante, F.M.d. Silva, A. Rojas, H. Carrasco, E.S. Umezawa, A.M.S. Stolf, J.L. Ramírez and M.M.G. Teixeira*

1327 Bibliometric analysis of research published in *Tropical Medicine and International Health* 1996–2003 *S.W. Glover and S.L. Bowen*

1331 Referees 2004

1333 Author Index